

Continuous x Categorical data (2 of 2)

Aug 7, 2023

1. THIS CHAPTER explores **Continuous x Categorical** data using the **ggplot2** package. Specifically, it demonstrates the use of **ggplot2** package to further explore *bivariate continuous data across categories*.
2. **Data:** Data: Let us work with the same **mtcars** data from the previous chapter. Suppose we run the following code to prepare the data for subsequent analysis and save it in a tibble called **tb**:

```
# Load the required libraries, suppressing annoying startup messages
library(tibble)
suppressPackageStartupMessages(library(dplyr))
# Read the mtcars dataset into a tibble called tb
data(mtcars)
tb <- as_tibble(mtcars)
# Convert several numeric columns into factor variables
tb$cyl <- as.factor(tb$cyl) # cyl = {4,6,8}, number of cylinders
tb$am <- as.factor(tb$am) # am = {0,1}, 0:automatic, 1: manual transmission
tb$vs <- as.factor(tb$vs) # vs = {0,1}, v-shaped engine, 0:no, 1:yes
tb$gear <- as.factor(tb$gear) # gear = {3,4,5}, number of gears
# Directly access the data columns of tb, without tb$mpg
attach(tb)
```

Summarizing Continuous Data using ggplot2

Across one Category using ggplot2

1. We demonstrate the bivariate relationship between Miles Per Gallon (**mpg**) and Cylinders (**cyl**) using **ggplot2**.

```
library(dplyr)
s1 <- tb %>%
```

```

group_by(cyl) %>%
  summarise(Mean_mpg = mean(mpg, na.rm = TRUE),
            SD_mpg = sd(mpg, na.rm = TRUE))
print(s1)

```

```

# A tibble: 3 x 3
  cyl   Mean_mpg  SD_mpg
  <fct>    <dbl>    <dbl>
1 4        26.7     4.51
2 6        19.7     1.45
3 8        15.1     2.56

```

2. Discussion:

- In this code, we use the pipe operator `%\>%` to perform a series of operations. We first group the data by the `cyl` column using the `group_by()` function. We then use `summarise()` to apply the `mean()` and `sd()` functions to the `mpg` column.
- The results are stored in new columns, aptly named `Mean_mpg` and `SD_mpg`.
- We set `na.rm = TRUE` in both `mean()` and `sd()` function calls, to remove any missing values before calculation. [1]

3. Visualizing the mean and standard deviation

- The data resulting from the above code consists of grouped cylinder counts (`cyl`), their corresponding mean miles per gallon (`Mean_mpg`), and the standard deviation of miles per gallon (`SD_mpg`).
- A simple way to visualize this data would be to create a **line plot** for the mean miles per gallon with **error bars** to indicate standard deviation. Here is an example of how we could do this with `ggplot2`:


```
library(ggplot2)
```

```
Attaching package: 'ggplot2'
```

```
The following object is masked from 'tb':
```

```
mpg
```

```
ggplot(s1,
       aes(x = cyl, y = Mean_mpg)) +
  geom_line(group=1, color = "blue") +
  geom_point(size = 2, color = "red") +
  geom_errorbar(aes(ymin = Mean_mpg - SD_mpg,
                     ymax = Mean_mpg + SD_mpg),
                width = .2, colour = "black") +
  labs(x = "Cylinders", y = "Mean mpg") +
  theme_minimal()
```



4. Discussion:


- `aes(x = cyl, y = Mean_mpg)` assigns the `cyl` values to the x-axis and `Mean_mpg` to the y-axis.
- `geom_line(group=1, color = "blue")` adds a blue line connecting the data points.
- `geom_point(size = 2, color = "red")` adds red points for each data point.
- `geom_errorbar(aes(ymin = Mean_mpg - SD_mpg, ymax = Mean_mpg + SD_mpg), width = .2, colour = "black")` adds error bars, where the error is the standard deviation.
- The `ymin` and `ymax` arguments define the range of the error bars.
- `labs(x = "Cylinders", y = "Mean mpg")` labels the x and y axes.

- `theme_minimal()` applies a minimal theme to the plot.

5. Alternate visualization:

```
library(ggplot2)

# mpg plot
ggplot(s1, aes(x = cyl, y = Mean_mpg)) +
  geom_bar(stat = "identity",
           fill = "gold",
           alpha = 0.7) +
  geom_errorbar(aes(ymin = Mean_mpg - SD_mpg,
                     ymax = Mean_mpg + SD_mpg),
                width = .2) +
  labs(x = "Cylinders", y = "Mean mpg") +
  theme_minimal()
```



6. Discussion:

- `ggplot(s1, aes(x = cyl, y = Mean_mpg))`: The `ggplot()` function initializes a ggplot object. It's specifying the data to use (`s1` data frame) and mapping aesthetic elements to variables in the data. Here, `aes(x = cyl, y = Mean_mpg)` specifies that the x-axis represents `cyl` (number of cylinders) and the y-axis represents `Mean_mpg` (mean miles per gallon).

- `geom_bar(stat = "identity", fill = "skyblue", alpha = 0.7)`: The `geom_bar()` function is used to create a bar chart. Setting `stat = "identity"` indicates that the heights of the bars represent the values in the data (in this case, `Mean_mpg`). The `fill = "skyblue"` argument sets the color of the bars to sky blue, and `alpha = 0.7` sets the transparency of the bars.
 - `geom_errorbar(aes(ymin = Mean_mpg - SD_mpg, ymax = Mean_mpg + SD_mpg), width = .2)`: The `geom_errorbar()` function adds error bars to the plot. The arguments `aes(ymin = Mean_mpg - SD_mpg, ymax = Mean_mpg + SD_mpg)` set the bottom (`ymin`) and top (`ymax`) of the error bars to represent one standard deviation below and above the mean, respectively. `width = .2` sets the horizontal width of the error bars.
 - `labs(x = "Cylinders", y = "Mean mpg")`: The `labs()` function is used to specify the labels for the x-axis and y-axis.
 - `theme_minimal()`: The `theme_minimal()` function is used to set a minimalist theme for the plot.
 - This plot provides a clear visual representation of the mean miles per gallon for different numbers of cylinders, with the variation in each group indicated by the error bars.
7. We extend this code to demonstrate how to measure the bivariate relationships between multiple continuous variables from the mtcars data and the categorical variable number of Cylinders (`cyl`), using `ggplot2`. Specifically, we consider the continuous variables (i) Miles Per Gallon (`mpg`); (ii) Weight (`wt`); (iii) Horsepower (`hp`) across the number of Cylinders (`cyl`).

```
library(dplyr)
s3 <- tb %>%
  group_by(cyl) %>%
  summarise(
    Mean_mpg = mean(mpg, na.rm = TRUE),
    SD_mpg = sd(mpg, na.rm = TRUE),
    Mean_wt = mean(wt, na.rm = TRUE),
    SD_wt = sd(wt, na.rm = TRUE),
    Mean_hp = mean(hp, na.rm = TRUE),
    SD_hp = sd(hp, na.rm = TRUE)
  )
print(s3)

# A tibble: 3 x 7
cyl  Mean_mpg  SD_mpg  Mean_wt  SD_wt  Mean_hp  SD_hp
<fct>   <dbl>   <dbl>   <dbl>   <dbl>   <dbl>   <dbl>
```

```

1 4      26.7   4.51    2.29 0.570     82.6  20.9
2 6      19.7   1.45    3.12 0.356     122.   24.3
3 8      15.1   2.56    4.00 0.759     209.   51.0

```

8. Discussion:

- With `tb %>%`, we indicate that we are going to perform a series of operations on the `tb` data frame. The next operation is `group_by(cyl)`, which groups the data by the `cyl` variable.
- The `summarise()` function is then used to create a new data frame that summarizes the grouped data. Inside `summarise()`, we calculate the mean and standard deviation (SD) of three variables (`mpg`, `wt`, and `hp`). Then `na.rm = TRUE` argument inside `mean()` and `sd()` functions is used to exclude any NA values from these calculations.
- The resulting calculations are assigned to new variables (`Mean_mpg`, `SD_mpg`, `Mean_wt`, `SD_wt`, `Mean_hp`, and `SD_hp`) which will be the columns in the summarised data frame. The summarised data will contain one row for each group (in this case, each unique value of `cyl`), and columns for each of the summary statistics.
- To summarize, this script groups the data in the `tb` tibble by `cyl` and then calculates the mean and standard deviation of the `mpg`, `wt`, and `hp` variables for each group. [1]

Across two Categories using ggplot2

- We demonstrate the relationship between Miles Per Gallon (`mpg`) and Cylinders (`cyl`) and Transmission type (`am`) using `ggplot2`. Recall that a car's transmission may be automatic (`am=0`) or manual (`am=1`).

```

library(dplyr)
tb_grouped <- tb %>%
  group_by(cyl, am) %>%
  summarise(Mean_mpg = mean(mpg, na.rm = TRUE),
            SD_mpg = sd(mpg, na.rm = TRUE))

`summarise()` has grouped output by 'cyl'. You can override using the `groups` argument.

tb_grouped

```

```

# A tibble: 6 x 4
# Groups:   cyl [3]
  cyl   am   Mean_mpg  SD_mpg
  <fct> <fct>    <dbl>   <dbl>
1 4     0        22.9   1.45
2 4     1        28.1   4.48
3 6     0        19.1   1.63
4 6     1        20.6   0.751
5 8     0        15.0   2.77
6 8     1        15.4   0.566

```


2. Discussion:

- In the above code, we are grouping by both `cyl` and `am` before summarizing. This will provide the mean and standard deviation of `mpg` for each unique combination of `cyl` and `am`.
- Here is how it can be visualized:

```

# Create the plot
ggplot(tb_grouped, aes(x = interaction(cyl, am), y = Mean_mpg, fill = as.factor(am))) +
  geom_bar(stat = "identity",
            alpha = 0.7,
            position = position_dodge()) +
  geom_errorbar(aes(ymin = Mean_mpg - SD_mpg,
                     ymax = Mean_mpg + SD_mpg),
                width = .2,
                position = position_dodge(.9)) +
  labs(x = "Cylinders and Transmission", y = "Mean mpg", fill = "Transmission") +
  theme_minimal()

```



3. In the below code, the order of the variables is reversed - the data is first grouped by `am`, then by `cyl`. So, the function first sorts the data by the `am` variable, and within each `am` group, it further groups the data by `cyl`.

```
library(dplyr)
tb_grouped2 <- tb %>%
  group_by(am, cyl) %>%
  summarise(Mean_mpg = mean(mpg, na.rm = TRUE),
            SD_mpg = sd(mpg, na.rm = TRUE))
```

`summarise()` has grouped output by 'am'. You can override using the `.groups` argument.


- Here is how it can be visualized:

```
# Create the plot
ggplot(tb_grouped2, aes(x = interaction(am, cyl), y = Mean_mpg, fill = as.factor(cyl))) +
  geom_bar(stat = "identity",
            alpha = 0.7,
            position = position_dodge()) +
  geom_errorbar(aes(ymin = Mean_mpg - SD_mpg,
                     ymax = Mean_mpg + SD_mpg),
                width = .2,
```

```

position = position_dodge(.9)) +
labs(x = "Transmission and Cylinders", y = "Mean mpg", fill = "Cylinders") +
theme_minimal()

```



4. The following code produces a new data frame that contains the mean and standard deviation of the continuous variables `mpg`, `wt`, and `hp` for each combination of the factor variables `am` and `cyl`. [1]

```

library(dplyr)
tb %>%
  group_by(am, cyl) %>%
  summarise(
    Mean_mpg = mean(mpg, na.rm = TRUE),
    SD_mpg = sd(mpg, na.rm = TRUE),
    Mean_wt = mean(wt, na.rm = TRUE),
    SD_wt = sd(wt, na.rm = TRUE),
    Mean_hp = mean(hp, na.rm = TRUE),
    SD_hp = sd(hp, na.rm = TRUE)
  )

```

`summarise()` has grouped output by 'am'. You can override using the `.groups` argument.

```

# A tibble: 6 x 8
# Groups:   am [2]
  am     cyl   Mean_mpg SD_mpg Mean_wt SD_wt Mean_hp SD_hp
  <fct> <fct>    <dbl>  <dbl>    <dbl>  <dbl>    <dbl>  <dbl>
1 0      4        22.9   1.45     2.94   0.408    84.7   19.7
2 0      6        19.1   1.63     3.39   0.116    115.    9.18
3 0      8        15.0   2.77     4.10   0.768    194.    33.4
4 1      4        28.1   4.48     2.04   0.409    81.9   22.7
5 1      6        20.6   0.751    2.76   0.128    132.    37.5
6 1      8        15.4   0.566    3.37   0.283    300.    50.2

```

Visualizing Continuous Data using ggplot2

Let's take a closer look at some of the most effective ways of visualizing continuous data, across one Category, **using ggplot2**, including

- (i) Histograms, using ggplot2;
- (ii) PDF and CDF Density plots, using ggplot2;
- (iii) Box plots, using ggplot2;
- (iv) Bee Swarm plots, using ggplot2;
- (v) Violin plots, using ggplot2;
- (vi) Q-Q plots, using ggplot2.

Histograms across one Category using ggplot2


Visualizing histograms of car mileage (mpg) broken down by transmission (am=0,1)

```

ggplot(tb, aes(x = mpg,
                fill = am)) +
  geom_histogram(binwidth = 5, color = "black") +
  scale_fill_manual(values = c("gold", "lightblue")) +
  theme_minimal() +
  labs(title = "Histogram of Miles Per Gallon (mpg) by Transmission Type (am)",
       x = "Miles Per Gallon (mpg)",
       y = "Frequency")

```


Histogram of Miles Per Gallon (mpg) by Transmission Type (am)



- If we want separate histograms, we can set `facet_wrap(~ am)`


```
ggplot(tb, aes(x = mpg,
                fill = am)) +
  geom_histogram(binwidth = 5, color = "black") +
  scale_fill_manual(values = c("gold", "lightblue")) +
  facet_wrap(~ am) +
  theme_minimal() +
  labs(title = "Histogram of Miles Per Gallon (mpg) by Transmission Type (am)",
       x = "Miles Per Gallon (mpg)",
       y = "Frequency")
```

Histogram of Miles Per Gallon (mpg) by Transmission Type (am)



Histogram across one Category using ggpubr

```
library(ggpubr)
gghistogram(tb,
  x = "mpg",
  bins = 6,
  add = "mean",
  rug = TRUE,
  color = "am",
  fill = "am",
  alpha = 0.8,
  palette = c("gold", "lightblue"))
```




Histograms across two Categories using ggplot2

Visualizing histograms of car mileageage (mpg) broken down by transmission (am=0,1) and cylinders (cyl=4,6,8)

```
ggplot(tb, aes(x = mpg,
                fill = am)) +
  geom_histogram(binwidth = 3, color = "black") +
  scale_fill_manual(values = c("gold", "lightblue")) +
  facet_grid(cyl ~ am) +
  theme_minimal() +
  labs(title = "Histogram of Miles Per Gallon (mpg) by Transmission Type (am=0,1) and Cylinders (cyl=4,6,8)",
       x = "Miles Per Gallon (mpg)",
       y = "Frequency")
```


Histogram of Miles Per Gallon (mpg) by Transmission Type (am=



PDF across one Category using ggplot2

```
ggplot(tb, aes(x = mpg,
                fill = am)) +
  geom_density(color = "black") +
  scale_fill_manual(values = c("gold", "lightblue")) +
  facet_wrap(~ am) +
  theme_minimal() +
  labs(title = "Density Plot of Miles Per Gallon (mpg) by Transmission Type (am)",
       x = "Miles Per Gallon (mpg)",
       y = "Density")
```

Density Plot of Miles Per Gallon (mpg) by Transmission Type




PDF across one Category using ggpubr

- The provided R code creates a Boxplot of the `mpg` (miles per gallon) variable in the `tb` dataset, using the `ggboxplot()` function from the `ggpubr` package.

```
library(ggpubr)
ggdensity(tb,
  x = "mpg",
  color = "am" ,
  fill = "am",
  add = "mean",
  rug = TRUE,
  palette = c("gold", "skyblue"),
  title = "PDF of Miles Per Gallon (mpg), using ggpubr::ggdensity()",
  ylab = "Miles Per Gallon (mpg)",
  xlab = "Transmission (am)"
)
```


PDF of Miles Per Gallon (mpg), using ggpubr::ggdensity



CDF across one Category using ggplot2

```
library(ggplot2)

# Create separate CDFs for 'am = 0' and 'am = 1'
ggplot(tb, aes(x = mpg,
                color = factor(am))) +
  stat_ecdf(geom = "line") +
  scale_color_manual(values = c("blue", "black")) +
  labs(x = "Miles Per Gallon (mpg)", y = "CDF",
       title = "Cumulative Distribution Function (CDF) of Mileage (mpg) for Transmission (am)",
       color = "am") +
  theme_minimal()
```




Box Plot across one Category using ggplot2

Visualizing Median using Box Plot – median weight of the cars broken down by cylinders (`cyl=4,6,8`)

```
library(ggplot2)

ggplot(tb, aes(x = cyl,
                y = mpg)) +
  geom_boxplot(fill = c("gold","lightblue","lightpink"),
               color = "black") +
  coord_flip() +
  labs(title = "Boxplot of Miles Per Gallon (mpg) by Cylinders",
       y = "Miles Per Gallon (mpg)",
       x = "Cylinders") +
  theme_minimal()
```

Boxplot of Miles Per Gallon (mpg) by Cylinders




Box Plot across one Category using ggpubr

- The provided R code creates a Boxplot of the `mpg` (miles per gallon) variable in the `tb` dataset, using the `ggboxplot()` function from the `ggpubr` package.

```
library(ggpubr)
ggboxplot(tb,
  y = "mpg",
  x = "cyl",
  color = "cyl",
  fill = "white",
  palette = c("black","blue","red"),
  shape = "cyl",
  orientation = "horizontal",
  add = "jitter", #jitter helps display the data points
  title = "Boxplot of Miles Per Gallon (mpg), using ggpubr::ggboxplot()", 
  ylab = "Miles Per Gallon (mpg)",
  xlab = "Cylinders"
)
```


Boxplot of Miles Per Gallon (mpg), using ggpubr::ggboxplot



Box Plot across two Categories using ggplot2

```
ggplot(tb, aes(x = as.factor(am), y = mpg, fill = as.factor(am))) +  
  geom_boxplot() +  
  scale_fill_manual(values = c("gold", "lightblue"), name = "Transmission") +  
  facet_grid(~ cyl) +  
  theme_minimal() +  
  labs(title = "Boxplot of Mileage (mpg) by Cylinders (cyl=4,6,8) and Transmission (am=0,1)",  
       x = "Transmission Type (am)",  
       y = "Miles Per Gallon (mpg)")
```


Boxplot of Mileage (mpg) by Cylinders (cyl=4,6,8) and Transmis



Alternately:

```
ggplot(tb, aes(x = as.factor(cyl), y = mpg, fill = as.factor(cyl))) +  
  geom_boxplot() +  
  scale_fill_manual(values = c("gold", "lightblue", "lightpink"), name = "Cylinders") +  
  facet_grid(~ am) +  
  theme_minimal() +  
  labs(title = "Boxplot of Mileage (mpg) by Transmission (am=0,1) and Cylinders (cyl=4,6,8)",  
       x = "Number of Cylinders (cyl)",  
       y = "Miles Per Gallon (mpg)")
```


Boxplot of Mileage (mpg) by Transmission (am=0,1) and Cylinders



Box Plot across two Categories using ggpubr


```
library(ggpubr)
ggboxplot(tb,
  y = "mpg",
  x = "cyl",
  color = "cyl",
  fill = "white",
  palette = c("black", "blue", "red"),
  shape = "cyl",
  orientation = "horizontal",
  add = "jitter", #jitter helps display the data points
  facet.by = "am", #split data by "am"
  title = "Boxplot of Miles Per Gallon (mpg), using ggpubr::ggboxplot()", 
  ylab = "Miles Per Gallon (mpg)",
  xlab = "Cylinders"
)
```

Boxplot of Miles Per Gallon (mpg), using ggpublisher::ggboxplot



```
library(ggpublisher)
ggboxplot(tb,
  y = "mpg",
  x = "am",
  color = "am",
  fill = "white",
  palette = c("black", "blue"), # assuming am has 2 levels; adjust as needed
  shape = "am",
  orientation = "horizontal",
  add = "jitter", #jitter helps display the data points
  facet.by = "cyl", #split data by "cyl"
  title = "Boxplot of Miles Per Gallon (mpg), using ggpublisher::ggboxplot()", 
  ylab = "Miles Per Gallon (mpg)",
  xlab = "Transmission"
)
```


Boxplot of Miles Per Gallon (mpg), using ggpubr::ggboxplot



Bee Swarm Plot across one Category using ggbeeswarm

Visualizing Median using Box Plot – median weight of the cars broken down by cylinders (cyl=4,6,8)

```
library(ggplot2)
library(ggbeeswarm)
# Create the beeswarm plot
ggplot(mtcars,
       aes(x = factor(cyl),
           y = mpg)) +
  geom_beeswarm() +
  labs(title = "Bee Swarm plot of Miles Per Gallon (mpg) by Cylinders",
       x = "Cylinders (cyl)",
       y = "Mileage (mpg)") +
  theme_minimal() +
  theme(panel.background = element_rect(fill = "lightblue"))
```




Violin Plot across one Category using ggplot2

Visualizing using Violin Plot – distribution of mpg of the cars broken down by cylinders (cyl=4,6,8)

```
library(ggplot2)

ggplot(tb, aes(x = factor(cyl),
                y = mpg)) +
  geom_violin(aes(fill = factor(cyl)),
              color = "black") +
  scale_fill_manual(values = c("gold","lightblue","lightpink"),
                    name = "Cylinders") +
  coord_flip() +
  labs(title = "Violin plot of Miles Per Gallon (mpg) by Cylinders",
       y = "Miles Per Gallon (mpg)",
       x = "Cylinders") +
  theme_minimal()
```


Violin plot of Miles Per Gallon (mpg) by Cylinders



We can embed boxplots within the above Violin plots, as follows.

```
library(ggplot2)

ggplot(tb, aes(x = factor(cyl),
                y = mpg)) +
  geom_violin(aes(fill = factor(cyl)),
              color = "black") +
  scale_fill_manual(values = c("gold","lightblue","lightpink"),
                    name = "Cylinders") +
  geom_boxplot(width=0.2,
               fill="white") +
  coord_flip() +
  labs(title = "Violin plot of Miles Per Gallon (mpg) by Cylinders",
       y = "Miles Per Gallon (mpg)",
       x = "Cylinders") +
  theme_minimal()
```



References

[1]

Wickham, H., François, R., Henry, L., & Müller, K. (2021). dplyr: A Grammar of Data Manipulation. R package version 1.0.7. <https://CRAN.R-project.org/package=dplyr>

Wickham, H. (2016). ggplot2: Elegant Graphics for Data Analysis. Springer-Verlag New York. ISBN 978-3-319-24277-4, <https://ggplot2.tidyverse.org>.

[2]

Kassambara A (2023). ggpubr: ‘ggplot2’ Based Publication Ready Plots. R package version 0.6.0, <https://rpkg.datanovia.com/ggpubr/>.